

林業叢刊第245號

林木種子目錄

INDEX SEMINUM

2012-2013



Bretschneidera sinensis Hemsl. 鐘萼木



ISBN 978986036706-5



9 789860 367065

GPN:1010200791

行政院農業委員會林業試驗所 印行

Published by Taiwan Forestry Research Institute

INDEX SEMINUM 2012-2013

NOTICE :

1. Please send your request before May 31, 2013.
2. Please restrict your request to a maximum of 40 items.
3. Seeds will be provided in small quantities.
4. Seeds will be dispatched on a first come first serve basis.
5. All the listed seeds are free of charge and will be shipped by air mail.
6. Please submit shipping permit if required by your country.

April, 2013



Seed Bank and Seed Laboratory,

Division of Botanical Garden,

Taiwan Forestry Research Institute

53 Nanhai Road, Taipei 10066, Taiwan

Financial Support from the Council of Agriculture, Executive Yuan, Taiwan



MAP OF TAIWAN

No.	Collection site	Elevation	Year	Remark
-----	-----------------	-----------	------	--------

GYMNOSPERMAE 裸子植物

CEPHALOTAXACEAE 粗榧科

Cephalotaxus wilsoniana Hay. 台灣粗榧；威氏粗榧 {T¹,E²}

1.Chitou	[III] ³⁾ 溪頭	1,160 m	2008	(W ⁴)
2.Jianshyr	[II]尖石	1,699 m	2009	(C)
3.anshyr	[II]尖石	1,535 m	2009	(C)

CUPRESSACEAE 柏科

Calocedrus macrolepis Kurz var. *formosana* (Florin) Cheng & L. K. Fu
台灣肖楠 {T,E}

4.Kwangmingchiao	[III]光明橋	2,000 m	1997	(C)
5.Ilan	[I]宜蘭	150 m	2003	(C)
6.Syhleung	[II]四稜	1,110 m	2003	(W)

Chamaecyparis formosensis Matsum. 紅檜 {T,N}

7.Tanta	[III]丹大	2,300 m	1972	(W)
8.Herpyng	[VI]和平	1,700 m	1981	(W)
9.Tanta	[III]丹大	2,300 m	1981	(W)
10.Chilanshan	[VI]棲蘭山	2,200 m	1990	(W)
11.Tachien	[III]達見	2,200 m	1992	(W)
12.Chilanshan	[VI]棲蘭山	1,700 m	1995	(W)
13.Chilanshan	[VI]棲蘭山	1,700 m	1996	(W)
14.Chilanshan	[VI]棲蘭山	1,920 m	1999	(W)

1) T: Tree S: Shrub V: Vine

2) N: Native E: Endemic L: Naturalized X: Exotic

3) The Roman numeral represents approximately the region as indicated in the map of Taiwan.

4) W: Collected from wild plants

C: Collected from cultivated plants

- | | | | |
|---------------|---------|---------|----------|
| 15.Chilanshan | [VI]棲蘭山 | 1,900 m | 2003 (W) |
| 16.Lihshyng | [III]力行 | 1,650 m | 2007 (W) |

Chamaecyparis obtusa Sieb. & Zucc. var. *formosana* (Hay.) Rehder
台灣扁柏 {T,E}

- | | | | |
|----------------|----------|---------|----------|
| 17.Tahsuehshan | [III]大雪山 | 2,300 m | 1984 (W) |
| 18.Chilanshan | [VI]棲蘭山 | 2,200 m | 1988 (W) |
| 19.Tahsuehshan | [III]大雪山 | 2,300 m | 1991 (W) |
| 20.Chilanshan | [VI]棲蘭山 | 1,650 m | 1997 (W) |
| 21.Chilanshan | [VI]棲蘭山 | 1,900 m | 1999 (W) |
| 22.Chilanshan | [VI]棲蘭山 | 1,900 m | 2003 (W) |
| 23.Chilanshan | [VI]棲蘭山 | 2,100 m | 2007 (W) |

PINACEAE 松科

Abies kawakamii (Hay.) Ito 台灣冷杉 {T,E}

- | | | | |
|---------------|----------|---------|----------|
| 24.Tayuling | [III]大禹嶺 | 2,800 m | 1997 (W) |
| 25.Kehnanguan | [III]克難關 | 3,200 m | 1997 (W) |
| 26.Kehnanguan | [III]克難關 | 3,150 m | 2004 (W) |
| 27.Kehnanguan | [III]克難關 | 2,908 m | 2009 (W) |

Picea morrisonicola Hay. 台灣雲杉 {T,E}

- | | | | |
|-------------------|----------|---------|----------|
| 28.Dahjiashi | [III]大甲溪 | 2,500 m | 1975 (W) |
| 29.Tayuling | [III]大禹嶺 | 2,400 m | 1981 (W) |
| 30.Tayuling | [III]大禹嶺 | 2,300 m | 1997 (W) |
| 31.Tayuling | [III]大禹嶺 | 2,420 m | 2003 (W) |
| 32.Songchyuangang | [III]松泉崗 | 2,475 m | 2004 (W) |
| 33.Songchyuangang | [III]松泉崗 | 2,405 m | 2005 (W) |
| 34.Songchyuangang | [III]松泉崗 | 2,525 m | 2009 (W) |
| 35. Bilushi | [III]碧綠溪 | 2,374 m | 2010 (W) |

Pinus armandii Franchet var. *masteriana* Hay. 台灣華山松 {T,E}

36.Tahsuehshan	[III]大雪山	2,400 m	1987 (W)
37.Jiayang	[III]佳陽	1,970 m	2000 (W)
38.Tayuling	[III]大禹嶺	2,400 m	2002 (W)
39.Songchyuangang	[III]松泉崗	2,525 m	2005 (W)
40.Dongbu	[III]東埔	2,680 m	2005 (W)
41.Songchyuangang	[III]松泉崗	2,497 m	2012 (W)
42.Tayuling	[III]大禹嶺	2,705 m	2012 (W)

Pinus morrisonicola Hay. 台灣五葉松 {T,E}

43.Kukuan	[III]谷關	1,000 m	2006 (W)
-----------	---------	---------	----------

Pinus taiwanensis Hay. 台灣二葉松 {T,E}

44.Chuyunshan	[III]出雲山	1,100 m	1975 (W)
45.Kukuan	[III]谷關	1,000 m	1985 (W)
46.Songchyuangang	[III]松泉崗	2,530 m	2005 (W)
47.Songchyuangang	[III]松泉崗	2,441 m	2010 (W)

Pseudotsuga wilsoniana Hay. 台灣黃杉；威氏帝杉 {T,E}

48.Herhuanshi	[III]合歡溪	1,800 m	2003 (W)
49.Herhuanshi	[III]合歡溪	1,800 m	2004 (W)
50.Herhuanshi	[III]合歡溪	1,991 m	2009 (W)

Tsuga chinensis (Franchet) Pritz. ex Diels var. *formosana* (Hay.)

Li & Keng 台灣鐵杉 {T,E}

51.Iuanfeng	[III]鳶峰	2,890 m	1999 (W)
52.Songchyuangang	[III]松泉崗	2,475 m	2004 (W)
53.Songchyuangang	[III]松泉崗	2,480 m	2004 (W)
54.Iuanfeng	[III]鳶峰	2,865 m	2006 (W)
55.Songchyuangang	[III]松泉崗	2,396 m	2009 (W)
56.Songchyuangang	[III]松泉崗	2,469 m	2010 (W)
57.Iuanfeng	[III]鳶峰	2,902 m	2012 (W)
58.Tayuling	[III]大禹嶺	2,565 m	2012 (W)

PODOCARPACEAE 羅漢松科

Podocarpus macrophyllus (Thunb.) Sweet var. *macrophyllus*

大葉羅漢松 {T,N}

59.Zhanghua [III]彰化 50 m 2009 (C)

Podocarpus nakaii Hay. 桃實百日青 {T,E}

60.Lienhuachih [III]蓮華池 190 m 2011 (W)

TAXACEAE 紅豆杉科

Taxus sumatrana (Miq.) de Laub 南洋紅豆杉 {T,N}

61.Chingjing [III]清境 1,160 m 2011 (C)

TAXODIACEAE 杉科

Cunninghamia konishii Hay. 巒大杉；香杉 {T,E}

62.Tachien [III]達見 2,230 m 1981 (W)

63.Tahsuehshan [III]大雪山 2,300 m 1981 (W)

64.Wanqshiang [III]望鄉 2,200 m 1981 (W)

65.Judong [II]竹東 1,900 m 1982 (W)

66.Lienhuachih [III]蓮華池 750 m 1983 (C)

67.Shenguang [III]勝光 1,500 m 1985 (W)

68.Tanta [III]丹大 2,300 m 1985 (W)

69.Wuling [III]武陵 2,200 m 1987 (W)

70.Chilanshan [VI]棲蘭山 1,925 m 1999 (W)

71.Chuyunshan [III]出雲山 1,100 m 2002 (C)

72.Chuyunshan [III]出雲山 1,100 m 2003 (C)

Cunninghamia lanceolata (Lamb.) Hook. 杉木 {T,L}

73.Kukuan [III]谷關 700 m 1979 (C)

74.Shuangchi [III]雙崎 1,400 m 1985 (C)

Taiwania cryptomerioides Hay. 台灣杉 {T,E}

75. Shiowluan	[II] 秀巒	1,800 m	1976 (W)
76. Kuanshan	[VI] 關山	1,700 m	1978 (W)
77. Chilanshan	[VI] 棲蘭山	2,200 m	1993 (W)
78. Tayuling	[III] 大禹嶺	2,200 m	1997 (W)
79. Chilanshan	[VI] 棲蘭山	1,900 m	1999 (W)

ANGIOSPERMAE 被子植物

ACERACEAE 槭樹科

Acer albopurpurascens Hay. 飛蛾子樹；樟葉槭 {T,E}

80. Dahmay	[V] 大梅	315 m	1997 (W)
81. Lihshyng	[III] 力行	1,650 m	1997 (W)
82. Jianshyr	[II] 尖石	755 m	2000 (W)
83. Songuan	[VI] 松崗	1,905 m	2002 (W)

Acer buergerianum Miq. var. *formosanum* (Hay.) Sasaki

台灣三角楓 {T,E}

84. Fushan	[I] 福山	500 m	2006 (C)
85. Fushan	[I] 福山	485 m	2007 (C)
86. Taipei	[II] 台北	50 m	2011 (C)

Acer kawakamii Koidzumi 川上氏槭；尖葉槭 {T,E}

87. Jongherng	[III] 中橫	1,955 m	1997 (W)
88. Liyuan	[VI] 栗園	1,890 m	1998 (W)
89. Syuan	[VI] 思源	1,835 m	1999 (W)
90. Quanwu	[II] 觀霧	2,010 m	2000 (W)
91. Songuan	[VI] 松崗	2,100 m	2004 (W)
92. Fushan	[I] 福山	480 m	2007 (C)
93. Baling	[II] 巴陵	1,798 m	2011 (W)

Acer morrisonense Hay. 台灣紅榨槭 {T,E}

94.Tianluanshan	[III]天巒山	2,420 m	1997 (W)
95.Yeakooou	[VI]啞口	2,355 m	1998 (W)
96.Quanwu	[II]觀霧	2,040 m	2000 (W)
97.Syuan	[VI]思源	1,805 m	2004 (W)
98.Herhuanchi	[III]合歡溪	2,175 m	2007 (W)
99. Bilushi	[III]碧綠溪	2,375 m	2009 (W)

Acer palmatum Thunb. var. *pubescens* Li 台灣掌葉槭 {T,E}

100.Syuan	[VI]思源	2,031 m	2012 (W)
-----------	--------	---------	----------

Acer serrulatum Hay. 青楓 {T,E}

101.Syhleng	[II]四稜	1,110 m	1998 (W)
102.Shanshya	[II]三峽	350 m	1998 (W)
103.Liidongshan	[II]李棟山	1,125 m	1999 (W)
104.Ilan	[I]宜蘭	650 m	2003 (W)
105.Shanshya	[II]三峽	180 m	2003 (W)
106.Syuan	[VI]思源	1,840 m	2004 (W)
107.Jiayang	[III]佳陽	1,515 m	2004 (C)
108.Shanshya	[II]三峽	320 m	2007 (W)
109.Syhleng	[II]四稜	1,132 m	2011 (W)
110.Syhleng	[II]四稜	1,126 m	2012 (W)
111.Syhleng	[II]四稜	1,115 m	2012 (W)
112.Shanshya	[II]三峽	1,110 m	2012 (W)

ANACARDIACEAE 漆樹科

Pistacia chinensis Bunge 黃連木 {T,N}

113.Shawnianchi	[IV]少年溪	600 m	1998 (W)
114.Baling	[II]巴陵	650 m	1999 (W)

115.Shawnianchi	[IV]少年溪	820 m	2002 (W)
116.Zunda	[III]圳大	969 m	2007 (W)
117.Jianshyr	[II]尖石	1,272 m	2012 (W)
118.Renay	[III]仁愛	745 m	2012 (W)

Rhus javanica L. var. *roxburghiana* (DC.) Rehd. & Wilson
羅氏鹽膚木 {T,N}

119.Hwanshan	[III]環山	1,345 m	1999 (W)
120.Rueyan	[II]瑞岩	1,515 m	2002 (W)
121.Jianshyr	[II]尖石	1,295 m	2004 (W)
122.Hwanshan	[III]環山	1,564 m	2007 (W)

Rhus succedanea L. 木臘樹 {T,L}

123.Yuchyr	[III]魚池	765 m	1997 (W)
------------	---------	-------	----------

AQUIFOLIACEAE 冬青科

Ilex formosana Maxim. 糊櫛 {T,N}

124.Neyshuangchi	[II]內雙溪	345 m	2004 (W)
------------------	---------	-------	----------

Ilex lonicerifolia Hay. var. *matsudai* Yamamoto 松田氏冬青 {T,E}

125.Sowca	[V]壽卡	670 m	2002 (W)
-----------	-------	-------	----------

Ilex maximowicziana Loes. 倒卵葉冬青；金平氏冬青 {T,N}

126.Fushan	[I]福山	500 m	2007 (C)
127.Fushan	[I]福山	500 m	2008 (C)

Ilex micrococca Maxim. 朱紅水木 {T,N}

128.Syhleng	[II]四稜	1,135 m	1998 (W)
129.Derji	[III]德基	1,460 m	2002 (W)
130.Lileng	[III]裡冷	1,115 m	2006 (W)
131.Jiayang	[III]佳陽	1,781 m	2007 (W)

Ilex rotunda Thunb. 鐵冬青 {T,N}

132.Muwdan	[V]牡丹	315 m	1997 (W)
133.Sowca	[V]壽卡	815 m	2002 (W)
134.Neyshuangchi	[II]內雙溪	220 m	2004 (W)
135.Fushan	[I]福山	500 m	2006 (W)
136.Fushan	[I]福山	500 m	2010 (W)
137.Jilong	[I]基隆	300 m	2011 (C)

Ilex uraiensis Mori & Yamamoto 烏來冬青 {T,N}

138.Fushan	[I]福山	500 m	2010 (C)
------------	-------	-------	----------

ARALIACEAE 五加科

Aralia bipinnata Blanco 裡白椴木 {T,N}

139.Taimali	[VI]太麻里	450 m	2006 (W)
140.Quanyuan	[III]關原	2,350 m	2012 (W)

Dendropanax dentiger (Harms ex Diels) Merr. 台灣樹參 {T,N}

141.Chilanshan	[VI]棲蘭山	509 m	2012 (W)
----------------	---------	-------	----------

Schefflera arboricola Hay. 鵝掌藥 {T,N}

142.Jianshyr	[II]尖石	590 m	2005 (W)
143.Zunda	[III]圳大	96 m	2007 (W)

Schefflera octophylla (Lour.) Harms 鴨腳木 {T,N}

144.Ulai	[II]烏來	250 m	2001 (W)
145.Shanshya	[II]三峽	400 m	2003 (W)
146.Liukuei	[IV]六龜	650 m	2003 (W)
147.Taimali	[VI]太麻里	500 m	2003 (W)
148.Lienhuachih	[III]蓮華池	550 m	2004 (W)
149.Fushan	[I]福山	500 m	2006 (W)

Schefflera taiwaniana (Nakai) Kanehira 台灣鵝掌柴 {T,E}
150.Zunda [III] 圳大 2,288 m 2007 (W)

ASCLEPIADACEAE 蘿藦科

Marsdenia formosana Masam. 台灣牛嫻菜 {V,N}
151.Syhleng [II] 四稜 1,146 m 2011 (W)

BETULACEAE 樺木科

Alnus formosana (Burkill ex Forbes & Hemsl.) Makino 台灣赤楊 {T,N}
152.Jiayang [III] 佳陽 1,800 m 1978 (W)
153.Fongangshan [IV] 鳳崗山 1,590 m 1995 (W)
154.Syhleng [II] 四稜 1,155 m 1999 (W)
155.Liidongshan [II] 李棟山 1,595 m 1999 (W)
156.Biliuh [VI] 碧綠 2,355 m 1999 (W)
157.Nanshan [VI] 南山 1,465 m 1999 (W)
158.Chingjing [III] 清境 1,875 m 2000 (W)
159.Lihshyng [III] 力行 1,525 m 2002 (W)
160.Rueyan [II] 瑞岩 1,515 m 2002 (W)
161.Jiayang [III] 佳陽 1,800 m 2002 (W)
162.Bilunchi [III] 畢祿溪 2,150 m 2004 (W)
163.Tayuling [III] 大禹嶺 2,480 m 2004 (W)
164.Lishan [III] 梨山 1,665 m 2010 (W)

Carpinus kawakamii Hay. 阿里山千金榆 {T,E}
165.Wuhsheh [III] 霧社 1,310 m 1997 (W)
166.Syuan [III] 思源 1,860 m 1999 (W)
167.Shenguang [III] 勝光 1,775 m 2004 (W)
168.Herhuanchi [III] 合歡溪 1,985 m 2007 (W)
169.Lishan [III] 梨山 1,584 m 2010 (W)

BIGNONIACEAE 紫葳科

Jacaranda acutifolia Humb. & Boupl. 藍花楹 {T,X}

170. Taimali [VI] 太麻里 150 m 2006 (C)

Radermachia sinica (Hance) Hemsl. 山菜豆 {T,N}

171. Hergchuen [V] 恆春 65 m 1997 (W)

172. Hergchuen [V] 恆春 50 m 1998 (W)

173. Shanshya [II] 三峽 340 m 2005 (W)

174. Chilanshan [VI] 棲蘭山 400 m 2005 (W)

175. Ulai [II] 烏來 185 m 2005 (W)

176. Taimali [VI] 太麻里 565 m 2005 (W)

177. Hergchuen [V] 恆春 50 m 2006 (W)

178. Shuangchi [I] 雙溪 180 m 2008 (W)

179. Jianshyr [II] 尖石 615 m 2008 (W)

180. Hergchuen [V] 恆春 50 m 2010 (W)

181. Ulai [II] 烏來 201 m 2012 (W)

BORAGINACEAE 紫草科

Ehretia longiflora Champ. ex Benth. 長花厚殼樹 {T,N}

182. Shanping [IV] 扇平 650 m 1999 (W)

183. Shanping [IV] 扇平 750 m 2004 (W)

Tournefortia argentea L. 白水木 {T,N}

184. Taimali [VI] 太麻里 10 m 2009 (W)

BRETSCHNEIDERACEAE 鐘萼木科

Bretschneidera sinensis Hemsl. 鐘萼木 {T,N}

185. Fushan [I] 福山 450 m 2011 (W)

CAPRIFOLIACEAE 忍冬科

Sambucus chinensis Lindl. 有骨消 {S,N}

186. Shanping [IV] 扇平 880 m 1998 (W)

187. Bilunchi [III] 畢祿溪 2,190 m 2004 (W)

Viburnum erosum Batal. 松田氏英薔 {S,N}

188. Nanshan [I] 南山 1,376 m 2011 (W)

Viburnum luzonicum Rolfe 呂宋英薔 {S,N}

189. Yangmingshan [II] 陽明山 570 m 2002 (W)

190. Ulai [II] 烏來 299 m 2007 (W)

191. Taiping [I] 泰平 468 m 2007 (W)

Viburnum odoratissimum Ker 珊瑚樹 {T,N}

192. Gaushyhfor [V] 高士佛 500 m 2003 (W)

193. Muwdan [V] 牡丹 380 m 2004 (W)

194. Hengchuen [V] 恆春 50 m 2011 (W)

CELASTRACEAE 衛矛科

Celastrus kusanoi Hay. 大葉南蛇藤 {V,N}

195. Wuling [III] 武陵 575 m 2004 (W)

Celastrus punctatus Thunb. 光果南蛇藤 {V,N}

196. Bilushi [III] 碧綠溪 2,377 m 2009 (W)

Euonymus carnosus Hemsl. 厚葉衛矛 {S,E}

197. Bilushi [III] 碧綠溪 1,983 m 2009 (W)

CHLORANTHACEAE 金粟蘭科

Sarcandra glabra (Thunb.) Nakai 紅果金粟蘭 {S,N}

198. Taipei [II] 台北 250 m 2011 (C)

COMBRETACEAE 使君子科

Terminalia catappa L. 欖仁 {T,N}

199.Herngchuen	[V]恆春	50 m	2007 (C)
200.Herngchuen	[V]恆春	50 m	2009 (C)
201.Herngchuen	[V]恆春	50 m	2010 (C)
202.Herngchuen	[V]恆春	13 m	2011 (C)
203.Herngchuen	[V]恆春	23 m	2011 (C)

CONVOLVULACEAE 旋花科

Ipomoea pes-caprae (L.) R. Br. subsp. *brasiliensis* (L.) Oostst.

馬鞍藤 {V,E}

204.Herngchuen	[V]恆春	50 m	2006 (W)
205.Herngchuen	[V]恆春	5 m	2008 (W)

CORNACEAE 山茱萸科

Benthamidia japonica (Sieb. & Zucc.) Hara var. *chinensis* (Osborn)

Hara 四照花 {T,N}

206.Ilan	[I]宜蘭	575 m	2000 (W)
207.Ilan	[I]宜蘭	575 m	2001 (W)
208.Ilan	[I]宜蘭	575 m	2003 (W)
209.Ilan	[I]宜蘭	575 m	2004 (W)
210.Ilan	[I]宜蘭	575 m	2005 (W)
211.Ilan	[I]宜蘭	575 m	2008 (W)
212.Ilan	[I]宜蘭	575 m	2010 (W)
213.Ilan	[I]宜蘭	575 m	2012 (W)

CUCURBITACEAE 葫蘆科

Trichosanthes homophylla Hayata 芋葉括樓 {V,N}

214.Baling	[II]巴陵	803 m	2012 (W)
------------	--------	-------	----------

EBENACEAE 柿樹科

Diospyros japonica Sieb. & Zucc. 山柿 {T,N}

215. Liidongshan [II] 李棟山 1,520 m 2009 (W)

216. Liidongshan [II] 李棟山 1,527 m 2011 (W)

Diospyros morrisiana Hance 山紅柿 {T,N}

217. Sanshya [II] 三峽 700 m 2004 (W)

Diospyros oldhami Maxim 俄氏柿 {T,N}

218. Sanguang [II] 三光 647 m 2011 (W)

219. Sanguang [II] 三光 647 m 2012 (W)

ELAEOCARPACEAE 杜英科

Elaeocarpus japonicus Sieb. & Zucc. 薯豆 {T,N}

220. Yangmingshan [II] 陽明山 600 m 2002 (W)

221. Jiayang [III] 佳陽 1,785 m 2004 (W)

222. Taiping [I] 泰平 430 m 2008 (W)

223. Liidongshan [II] 李棟山 1,490 m 2008 (W)

224. Sanshya [II] 三峽 284 m 2011 (W)

225. Syhleng [II] 四稜 1,090 m 2011 (W)

Elaeocarpus sylvestris (Lour.) Poir. var. *sylvestris* 杜英 {T,N}

226. Sowca [V] 壽卡 555 m 2002 (W)

Sloanea formosana Li 猴歡喜 {T,N}

227. Lihshyng [III] 力行 1,775 m 2002 (W)

228. Fushan [I] 福山 450 m 2010 (W)

ERICACEAE 杜鵑花科

Pieris taiwanensis Hay. 台灣馬醉木 {S,N}

229. Fushan [I] 福山 450 m 2007 (C)

EUPHORBIACEAE 大戟科

Antidesma pentandrum Merr. var. *barbatum* (Presl) Merr. 桔里珍 {S,N}

230.Herngchuen	[V]恆春	50 m	2007 (W)
231.Taimali	[VI]太麻里	300 m	2007 (C)
232.Herngchuen	[V]恆春	50 m	2009 (W)
233. Kuanshan	[VI]關山	90 m	2010 (W)
234.Taitung	[VI]台東	60 m	2011 (C)
235.Herngchuen	[V]恆春	29 m	2011 (W)

Bischofia javanica Blume 茄苳；重陽木 {T,N}

236.Muwdan	[V]牡丹	265 m	1997 (W)
237.Sanshya	[II]三峽	200 m	1999 (W)
238.Taipei	[II]台北	50 m	2002 (C)
239.Lienhuachih	[III]蓮華池	635 m	2004 (C)
240.Taipei	[II]台北	50 m	2011 (C)
241.Herngchuen	[V]恆春	203 m	2012 (W)
242.Taipei	[II]台北	50 m	2011 (C)
243.Sanshya	[II]三峽	69 m	2012 (W)

Drypetes litoralis (C. B. Rob.) Merr. 鐵色 {T,N}

244.Herngchuen	[V]恆春	150 m	2010 (C)
----------------	-------	-------	----------

Excoecaria agallocha L.. 土沉香 {T,N}

245.Herngchuen	[V]恆春	10 m	2011 (W)
----------------	-------	------	----------

Glochidion rubrum Blume 細葉饅頭果 {T,N}

246.Ilan	[I]宜蘭	270 m	2004 (W)
----------	-------	-------	----------

Mallotus paniculatus (Lam.) Mull.-Arg var. *paniculatus* 白匏仔 {T,N}

247.Sanshya	[II]三峽	192 m	2012 (W)
-------------	--------	-------	----------

<i>Margaritaria indica</i> (Dalz.) Airy Shaw 紫黃 {T,N}			
248.Herngchuen	[V]恆春	150 m	2008 (W)
249.Herngchuen	[V]恆春	50 m	2011 (W)

<i>Sapium discolor</i> Muell.-Arg. 白柏 {T,E}			
250.Muwdan	[V]牡丹	375 m	2007 (W)
251 Baling	[II]巴陵	710 m	2011 (W)

<i>Sapium sebiferum</i> (L.) Roxb. 烏柏 {T,L}			
252.Yangmingshan	[II]陽明山	370 m	2003 (W)
253 Baling	[II]巴陵	698 m	2009 (C)

FAGACEAE 殼斗科

<i>Castanopsis cuspidata</i> (Thunb. ex Murray) Schottky var. <i>carlesii</i> (Hemsl.) Yamazaki form. <i>carlesii</i> 長尾尖葉櫟 {T,N}			
254.Bilushi	[III]碧綠溪	1,978 m	2009 (W)
255.Bilushi	[III]碧綠溪	1,944 m	2010 (W)

<i>Cyclobalanopsis gilva</i> (Bl.) Oerst. 赤皮 {T,N}			
256.Sanshya	[II]三峽	445 m	2011 (W)
257. Liidongshan	[II]李棟山	1,480 m	2011 (W)
258.Sanshya	[II]三峽	340 m	2011 (W)
259.Sanshya	[II]三峽	339 m	2012 (W)

<i>Cyclobalanopsis glauca</i> (Thunb. ex Murray) Oerst. var. <i>glauca</i> 青剛櫟 {T,N}			
260.Syhleng	[II]四稜	1,600 m	2008 (W)
261.Syhleng	[II]四稜	653 m	2010 (W)
262. Hwanshan	[III]環山	1,414 m	2010 (W)
263.Dulishan	[I]獨立山	433 m	2011 (W)
264.Sanguang	[II]三光	926 m	2011 (W)

265.Syhleng	[II]四稜	785 m	2011 (W)
266.Syhleng	[II]四稜	732 m	2012 (W)
267.Baling	[II]巴陵	751 m	2012 (W)
268.Baling	[II]巴陵	732 m	2012 (W)

Cyclobalanopsis longinux (Hay.) Schottky var. *longinux* 錐果櫟 {T,N}

269.Syhleng	[II]四稜	1,062 m	2009 (W)
270. Liidongshan	[II]李棟山	1,561 m	2009 (W)
271.Nanshan	[I]南山	1,414 m	2012 (W)
272. Liidongshan	[II]李棟山	1,535 m	2012 (W)

Cyclobalanopsis morii (Hay.) Schottky 赤柯 {T,E}

273.Lishan	[III]梨山	2,245 m	2006 (W)
274.Nanshan	[I]南山	1,500 m	2009 (W)
275.Iuanfeng	[III]鳶峰	2,446 m	2009 (W)
276.Chingjing	[III]清境	2,278 m	2009 (W)
277.Mayfeng	[III]梅峰	2,300 m	2011 (W)

Cyclobalanopsis sessilifolia (Bl.) Schottky 毬子櫟 {T,N}

278.Liidongshan	[II]李棟山	1,456 m	2009 (W)
-----------------	-----------	---------	----------

Cyclobalanopsis stenophylloides (Hay.) Kudo & Masemune 狹葉櫟 {T,E}

279.Jiayang	[III]佳陽	1,950 m	2006 (W)
280.Bilushi	[III]碧綠溪	1,998 m	2009 (W)
281.Bilushi	[III]碧綠溪	2,335 m	2009 (W)
282.Bilushi	[III]碧綠溪	2,347 m	2011 (W)
283.Bilushi	[III]碧綠溪	1,907 m	2012 (W)
284.Bilushi	[III]碧綠溪	2,390 m	2012 (W)

Limlia uraiiana (Hayata) Masamune & Tomiya 烏來柯 {T,N}

285.Sanshya	[II]三峽	190 m	2011 (W)
-------------	----------	-------	----------

<i>Pasania glabra</i> (Thunb. & Murray) Oerst. 子彈石櫟 {T,N}			
286.Sanguang	[II]三光	970 m	2003 (W)
287.Baling	[II]巴陵	835 m	2005 (W)
288.Baling	[II]巴陵	746 m	2011 (W)
289.Baling	[II]巴陵	793 m	2012 (W)

<i>Pasania hancei</i> (Benth.) Schottky var. <i>ternaticupula</i> (Hay.) Liao 三斗石櫟 {T,E}			
290.Songchyuangang	[III]松泉崗	2,497 m	2008 (W)
291.Lishan	[III]梨山	1,909 m	2007 (W)
292.Lishan	[III]梨山	1,669 m	2011 (W)
293.Bilushi	[III]碧綠溪	2,081 m	2011 (W)
294.Fushan	[I]福山	650 m	2011 (W)

<i>Pasania kawakamii</i> (Hay.) Schottky 大葉石櫟 {T,E}			
295.Bilushi	[III]碧綠溪	2,183 m	2010 (W)
296.Bilushi	[III]碧綠溪	2,157 m	2010 (W)

<i>Quercus spinosa</i> A. David ex Fr. 高山櫟 {T,N}			
297.Quanyuan	[III]關原	2,350 m	2012 (W)

<i>Quercus tatakaensis</i> Tomiya 銳葉高山櫟 {T,E}			
298.Bilushi	[III]碧綠溪	2,182 m	2009 (W)
299.Bilushi	[III]碧綠溪	2,182 m	2011 (W)

<i>Quercus variabilis</i> Bl. 栓皮櫟 {T,N}			
300.Chingjing	[III]清境	1,886 m	2012 (W)

FLACOURTIACEAE 大風子科

<i>Idesia polycarpa</i> Maxim. 山桐子 {T,N}			
301.Chingjing	[III]清境	1,675 m	1997 (W)
302.Lihshyng	[III]力行	1,635 m	1997 (W)
303.Liidongshan	[II]李棟山	1,200 m	1999 (W)

304. Yangmingshan	[II] 陽明山	490 m	1999 (W)
305. Nanshan	[VI] 南山	1,580 m	1999 (W)
306. Jiayang	[III] 佳陽	1,770 m	2002 (W)
307. Liidongshan	[II] 李棟山	1,000 m	2004 (W)
308. Lishan	[III] 梨山	1,785 m	2010 (W)

GUTTIFERAE 金絲桃科

Garcinia subelliptica Merr. 菲島福木 {T,N}

309. Hergchuen	[V] 恆春	50 m	2008 (C)
310. Taipei	[II] 台北	30 m	2009 (C)
311. Taipei	[II] 台北	30 m	2012 (C)

GOODENIACEAE 草海桐科

Scaevola taccada (Gaertner) Roxb. 草海桐 {S,N}

312. Taimali	[VI] 太麻里	300 m	2007 (C)
313. Hergchuen	[V] 恆春	50 m	2008 (W)
314. Hergchuen	[V] 恆春	50 m	2010 (W)
315. Hergchuen	[V] 恆春	10 m	2011 (W)
316. Hergchuen	[V] 恆春	13 m	2011 (W)

HAMAMELIDACEAE 金縷梅科

Liquidambar formosana Hance 楓香 {T,N}

317. Jiabaotair	[III] 佳寶台	700 m	1989 (W)
318. Nanjuang	[II] 南庄	800 m	2001 (C)
319. Liquan	[IV] 禮觀	1,420 m	2002 (W)

JUGLANDACEAE 胡桃科

Engelhardia roxburghiana Wall. 黃杞 {T,N}

320. Duonah	[IV] 多納	1,290 m	1999 (W)
321. Jiayang	[III] 佳陽	1,725 m	2005 (W)
322. Taimali	[VI] 太麻里	300 m	2006 (W)

- 323.Fushan [I]福山 650 m 2006 (W)
 324.Fushan [I]福山 650 m 2009 (W)

Juglans cathayensis Dode 野核桃；台灣胡桃 {T,N}

- 325.Lishan [III]梨山 1,850 m 2004 (W)
 326.Lishan [III]梨山 1,169 m 2008 (W)
 327.Lishan [III]梨山 1,726 m 2009 (W)
 328.Songmow [IV]松茂 1,623 m 2012 (W)

Platycarya strobilacea Sieb. & Zucc. 化香樹 {T,N}

- 329.Herhuanchi [III]合歡溪 1,905 m 2004 (W)
 330.Herhuanchi [III]合歡溪 2,015 m 2005 (W)
 331.Hwanshan [III]環山 1,564 m 2007 (W)
 332.Hwanshan [III]環山 1,419 m 2010 (W)

Pterocarya stenoptera DC. 楓楊樹 {T,X}

- 333.Taipei [II]台北 30 m 2011 (C)

LAURACEAE 樟科

Cinnamomum camphora (L.) Presl. var. *camphora* 樟樹 {T,N}

- 334.Nanjuang [II]南庄 700 m 2001 (C)
 335.Ilan [I]宜蘭 700 m 2002 (C)
 336.Ilan [I]宜蘭 550 m 2003 (C)
 337.Yuchyr [III]魚池 550 m 2010 (C)

Cinnamomum insulari-montanum Hay. 台灣肉桂 {T,E}

- 338.Nanshan [VI]南山 1,488 m 2011 (W)

Cinnamomum osmophloeum Kanehira 土肉桂 {T,E}

- 339.Kukuan [III]谷關 1,030 m 2011 (W)

Cinnamomum subavenium Miq. 香桂 {T,N}

340.Nanshan [VI]南山 1,514 m 2011 (W)

Lindera erythrocarpa Makino 鐵釘樹 {T,N}

341.Chilanshan [VI]棲蘭山 1,864 m 2007 (W)

Litsea cubeba (Lour.) Persoon 山胡椒 {T,N}

342.Lienhuachih [III]蓮華池 600 m 2004 (W)

343.Duonah [IV]多納 1,200 m 2004 (W)

344.Kukuan [III]谷關 1,050 m 2008 (W)

345.Mayfeng [III]梅峰 2,134 m 2012 (W)

Machilus zuihoensis Hay. var. *mushaensis* (Lu) Y. C. Liu 霧社槲楠 {T,N}

346.Liidongshan [II]李棟山 1,556 m 2012 (W)

Machilus obovatifolia (Hayata) Kanehira & Sasaki 恆春槲楠 {T,E}

347.Taoyuan [II]桃園 150 m 2012 (C)

Neolitsea aciculata (Bl.) Koidz var. *aciculata* 銳葉新木薑子 {T,N}

348.Mayfeng [III]梅峰 2,156 m 2010 (W)

Phoebe formosana (Hay.) Hay. 台灣雅楠 {T,N}

349.Fushan [I]福山 530 m 2007 (W)

350.Sanshya [II]三峽 312 m 2012 (W)

LEEACEAE 火筒樹科

Leea guineensis G. Don 火筒樹 {T,N}

351.Herngchuen [V]恆春 50 m 2007 (C)

352.Herngchuen [V]恆春 250 m 2008 (C)

353.Herngchuen [V]恆春 206 m 2012 (C)

LEGUMINOSAE 豆科

Acacia confusa Merr. 相思樹 {T,N}

- | | | | |
|----------------|-------|-------|----------|
| 354.Herngchuen | [V]恆春 | 80 m | 2008 (C) |
| 355.Herngchuen | [V]恆春 | 210 m | 2011 (W) |

Adenanthera microsperma Teijsm & Binn. 小實孔雀豆 {T,X}

- | | | | |
|-------------|--------|-------|----------|
| 356.Liukuei | [IV]六龜 | 200 m | 1996 (C) |
| 357.Liukuei | [IV]六龜 | 200 m | 2008 (C) |

Canavalia rosea (Sw.) DC. 濱刀豆 {Twining herb, N}

- | | | | |
|----------------|--------|------|----------|
| 358.Maobitou | [V]貓鼻頭 | 20 m | 2006 (W) |
| 359.Herngchuen | [V]恆春 | 20 m | 2007 (W) |
| 360.Herngchuen | [V]恆春 | 20 m | 2008 (W) |
| 361.Herngchuen | [V]恆春 | 10 m | 2010 (W) |

Cassia fistula L. 波斯皂莢；阿勃勒 {T,X}

- | | | | |
|------------|--------|------|----------|
| 362.Taipei | [II]台北 | 30 m | 2009 (C) |
|------------|--------|------|----------|

Gleditsia rolfei Vidal 恆春皂莢 {T,E}

- | | | | |
|-----------|-------|-------|----------|
| 363.Damay | [V]大梅 | 265 m | 1997 (W) |
|-----------|-------|-------|----------|

Haematoxylon campechianum L. 墨水樹 {T,X}

- | | | | |
|----------------|--------|------|----------|
| 364.Herngchuen | [V]恆春 | 60 m | 2009 (C) |
| 365.Jiayi | [IV]嘉義 | 30 m | 2009 (C) |
| 366.Jiayi | [IV]嘉義 | 30 m | 2010 (C) |
| 367.Jiayi | [IV]嘉義 | 30 m | 2012 (C) |

Maackia taiwanensis Hoshi & Ohashi 台灣馬鞍樹 {T,E}

- | | | | |
|------------------|---------|-------|----------|
| 368.Yangmingshan | [II]陽明山 | 852 m | 2009 (W) |
|------------------|---------|-------|----------|

Mucuna macrocarpa Wall. 血藤 {V,N}

- | | | | |
|--------------|--------|-------|----------|
| 369.Sanguang | [II]三光 | 827 m | 2011 (W) |
|--------------|--------|-------|----------|

Ormosia formosana Kaneh. 台灣紅豆樹 {T,E}

370.Lienhuachih	[III]蓮華池	360 m	1994 (W)
371.Fushan	[I]福山	550 m	2004 (C)
372.Guoshing	[III]國姓	600 m	2007 (W)
373.Lienhuachih	[III]蓮華池	650 m	2010 (W)
374.Fushan	[I]福山	550 m	2010 (C)
375.Fushan	[I]福山	550 m	2012 (C)

Ormosia hengchuniana Huang, Yang & Huang 恆春紅豆樹 {T,E}

376.Daren	[VI]達仁	412 m	2010 (W)
-----------	--------	-------	----------

Sophora tomentosa L. 毛苦蔘 {T,N}

377.Taimali	[VI]太麻里	30 m	2009 (C)
378.Herngchuen	[V]恆春	20 m	2010 (W)
379.Herngchuen	[V]恆春	20 m	2011 (W)

Pongamia pinnata (L.) Pierre 水黃皮 {T,N}

380.Taipei	[II]台北	500 m	2002 (C)
381.Taipei	[II]台北	30 m	2006 (C)
382.Herngchuen	[V]恆春	136 m	2011 (W)
383.Herngchuen	[V]恆春	10 m	2012 (W)

Vigna marina (Burm.) Meer. 濱豇豆 {V,N}

384.Herngchuen	[V]恆春	20 m	2010 (W)
----------------	-------	------	----------

Wisteria sinensis (Sims) Sweet 紫藤 {V,X}

385.Taipei	[II]台北	30 m	2011 (C)
------------	--------	------	----------

LOGANIACEAE 馬錢科

Fagraea ceilanica Thumb. 灰莉 {S,N}

386.Herngchuen	[V]恆春	50 m	2009 (C)
387.Herngchuen	[V]恆春	50 m	2010 (C)

MAGNOLIACEAE 木蘭科

Magnolia kachirachirai (Kanehira & Yamamoto) Dandy 烏心石舅 {T,E}

388.Taimali [VI]太麻里 1,103 m 2011 (W)

Michelia compressa (Maxim.) Sargent 烏心石 {T,N}

389.Nanjuang [II]南庄 650 m 1996 (W)

390.Chilanshan [VI]棲蘭山 1,000 m 1996 (W)

391.Sanshya [II]三峽 480 m 1997 (W)

392.Lienhuachih [III]蓮華池 775 m 1997 (W)

393.Nanjuang [II]南庄 1,000 m 1999 (W)

394.Ilan [I]宜蘭 800 m 2001 (C)

395.Nanjuang [II]南庄 900 m 2002 (W)

396.Ilan [I]宜蘭 800 m 2002 (C)

397.Pinglin [II]坪林 400 m 2002 (W)

398.Sanshya [II]三峽 500 m 2002 (W)

399.Ilan [I]宜蘭 800 m 2003 (C)

400.Herhuanchi [III]合歡溪 1,935 m 2003 (W)

401.Sanshya [II]三峽 580 m 2004 (W)

402.Ilan [I]宜蘭 800 m 2005 (C)

403.Nanjuang [II]南庄 800 m 2007 (W)

404.Nanjuang [II]南庄 650 m 2009 (W)

MALVACEAE 錦葵科

Hibiscus tiliaceus L. 黃槿 {T,N}

405.Herngchuen [V]恆春 50 m 2006 (W)

406.Taimali [VI]太麻里 30 m 2008 (C)

407.Herngchuen [V]恆春 20 m 2011 (W)

408.Herngchuen [V]恆春 15 m 2011 (W)

Thespesia populnea (L.) Solad ex Correa 繖楊 {T,N}

409.Taimali [VI]太麻里 30 m 2007 (C)

410.Taimali	[VI]太麻里	30 m	2008 (C)
411.Herngchuen	[V]恆春	50 m	2008 (C)
412.Herngchuen	[V]恆春	50 m	2009 (W)
413.Taimali	[VI]太麻里	10 m	2010 (C)
414.Herngchuen	[V]恆春	28 m	2011 (W)

MELIACEAE 楝科

Melia azedarach L. 苦楝 {T,N}

415.Muwdan	[V]牡丹	135 m	1995 (W)
------------	-------	-------	----------

Swietenia macrophylla King 大葉桃花心木 {T,X}

416.Taimali	[VI]太麻里	100 m	2005 (C)
-------------	---------	-------	----------

MORACEAE 桑科

Broussonetia papyrifera (L.) L'Herit. 構樹 {T,N}

417.Baling	[II]巴陵	640 m	2001 (W)
418.Shaonianchi	[IV]少年溪	590 m	2004 (W)

MYRICACEAE 楊梅科

Myrica rubra (Lour.) Sieb. & Zucc. 楊梅 {T,N}

419.Nanjuang	[II]南庄	100 m	2002 (W)
420.Nanjuang	[II]南庄	150 m	2004 (W)
421.Fushan	[I]福山	500 m	2006 (C)
422.Pingshi	[I]平溪	383 m	2012 (W)

MYRSINACEAE 紫金牛科

Ardisia elliptica Thunb. 蘭嶼紫金牛 {S,N}

423.Herngchuen	[V]恆春	120 m	2010 (W)
424.Herngchuen	[V]恆春	211 m	2011 (W)

NYSSACEAE 喜樹科

Camptotheca acuminata Decne. 喜樹 {T,X}

- 425.Lienhuachih [III]蓮華池 710 m 1998 (C)
426.Lienhuachih [III]蓮華池 710 m 1999 (C)

OLEACEAE 木犀科

Chionanthus retusus Lindl. & Paxt. 流蘇樹 {T,N}

- 427.Taipei [II]台北 50 m 2000 (C)
428.Taipei [II]台北 50 m 2005 (C)

Fraxinus griffithii C. B. Clarke 台灣白臘樹 {T,N}

- 429.Jinnshoeiying [V]浸水營 50 m 1995 (W)
430. Lihdow [VI]利稻 1,060 m 1995 (W)
431.Muwdan [V]牡丹 275 m 1997 (W)
432.Sanshya [II]三峽 150 m 1997 (C)
433.Sowca [V]壽卡 670 m 2002 (W)
434.Taipei [II]台北 60 m 2011 (W)

Fraxinus insularis Hemsl. 台灣栲 {T,N}

- 435.Wuhsheh [III]霧社 1,320 m 2001 (W)

Ligustrum sinense Lour. 小實女貞 {T,N}

- 436.Syuan [III]思源 1,940 m 1999 (W)
437.Syuan [III]思源 1,870 m 2004 (W)

PALMAE(AREACACEAE) 棕櫚科

Caryota mitis Loureiro 叢立孔雀椰子 {T,X}

- 438.Taipei [II]台北 30 m 2012 (C)

Chrysalidocarpus lutescens (Bory.) H. A. Wendl. 黃椰子 {T,X}

- 439.Taipei [II]台北 30 m 2012 (C)

Livistona chinensis var. *boninensis* Becc. 蒲葵 {T,X}

440. Taoyuan [II] 桃園 100 m 2012 (C)

Phoenix hanceana Naud. 台灣海棗 {T,N}

441. Hergchuen [V] 恆春 50 m 2006 (W)

442. Hergchuen [V] 恆春 150 m 2010 (W)

443. Hergchuen [V] 恆春 34 m 2011 (W)

PITTOSPORACEAE 海桐科

Pittosporum illicioides Makino var. *illicioides* 疏果海桐 {T,N}

444. Derji [III] 德基 1,400 m 2002 (W)

445. Taoyuan [II] 桃園 150 m 2010 (C)

Pittosporum pentandrum (Blanco) Merr. 台灣海桐 {T,N}

446. Taipei [II] 台北 30 m 2006 (C)

447. Hergchuen [V] 恆春 50 m 2007 (C)

448. Taimali [VI] 太麻里 20 m 2007 (C)

449. Hergchuen [V] 恆春 30 m 2011 (W)

PROTEACEAE 山龍眼科

Helicia cochinchinensis Lour. 紅葉樹 {T,N}

450. Jianshyr [II] 尖石 1,097 m 2012 (W)

RHAMNACEAE 鼠李科

Rhamnus nakaharae (Hay.) Hay. 中原氏鼠李 {T,E}

451. Liidongshan [II] 李棟山 1,125 m 1999 (W)

452. Jianshyr [II] 尖石 1,235 m 2002 (W)

453. Datwenshan [II] 大屯山 790 m 2003 (W)

454. Nanshan [VI] 南山 1,376 m 2011 (W)

ROSACEAE 薔薇科

Eriobotrya deflexa (Hemsl.) Nakai form. *deflexa* 山枇杷 {T,E}

455. Herhuanchi [III] 合歡溪 1,935 m 2012 (W)

Eriobotrya deflexa (Hemsl.) Nakai form. *buisanensis* (Hay.) Nakai
武威山枇杷 {T,E}

456. Hergchuen [V] 恆春 50 m 2008 (W)

Malus doumeri (Bois.) Chev. C. R. 台灣蘋果 {T,N}

457. Chingjing [III] 清境 2,015 m 2009 (W)

Malus hupehensis (Pamp.) Rehd. 湖北海棠 {T,N}

458. Syuan [III] 思源 1,948 m 2012 (W)

Photinia serratifolia (Desf.) Kalkman var. *ardisiifolia* (Hay.) Ohashi
台東石楠 {T,E}

459. Fushan [I] 福山 550 m 2007 (C)

Photinia nitakayamensis Hay. 玉山假沙梨 {T,N}

460. Iuanfeng [III] 鳶峰 2,895 m 1999 (W)

461. Ryhshingang [III] 日新崗 2,400 m 1999 (W)

462. Syuan [III] 思源 1,835 m 1999 (W)

463. Quanwu [II] 觀霧 2,040 m 2000 (W)

464. Syuan [III] 思源 1,870 m 2004 (W)

Photinia serratifolia (Desf.) Kalkman var. *serratifolia* 石楠 {T,N}

465. Herhuanchi [III] 合歡溪 1,840 m 1999 (W)

Prunus buergeriana Miq. 布氏稠李 {T,N}

466. Mayfeng [III] 梅峰 2,300 m 2003 (W)

Prunus campanulata Maxim. 山櫻花 {T,N}

467. Fongangshan [IV] 鳳崗山 1,500 m 2001 (W)

- 468.Alishan [Ⅲ]阿里山 1,100 m 2002 (W)
469.Jongshing [Ⅲ]中興 1,375 m 2003 (W)
470.Lienhuachih [Ⅲ]蓮華池 650 m 2003 (W)
471.Herhuanchi [Ⅲ]合歡溪 1,990 m 2007 (C)
472.Dongshi [Ⅲ]東勢 300 m 2008 (C)
- Prunus matuurai* Sasaki 太平山櫻花 {T,E}
473.Tipingshan [Ⅰ]太平山 1,500 m 2002 (W)
- Prunus phaeosticta* (Hance) Maxim. 黑星櫻；墨點櫻桃 {T,N}
474.Mayfeng [Ⅲ]梅峰 2,142 m 2010 (W)
- Prunus taiwaniana* Hay. 霧社山櫻花 {T,E}
475.Tayuling [Ⅲ]大禹嶺 2,800 m 2003 (W)
- Prunus transarisanensis* Hay. 阿里山櫻花 {T,E}
476.Shenguang [Ⅲ]勝光 1,810 m 2003 (W)
- Pyracantha koidzumii* (Hay.) Rehder 台灣火刺木 {T,E}
477.Taipei [Ⅱ]台北 30 m 2004 (C)
- Pyrus taiwanensis* Iketani & Ohashi 台灣野梨 {T,E}
478.Jianshyr [Ⅱ]尖石 1,580 m 2012 (W)
- Rhaphiolepis indica* (L.) Lindl. ex Ker var. *hiiranensis* (Kanehira) Li
恆春石斑木 {T,E}
479.Herngchuen [Ⅴ]恆春 50 m 2009 (W)
- Rhaphiolepis indica* (L.) Lindl. ex Ker var. *tashiroyi* Hay. ex Matsum.
& Hay 石斑木 {T,N}
480.Yangmingshan [Ⅱ]陽明山 363 m 2010 (W)
481.Taoyuan [Ⅱ]桃園 135 m 2011 (C)

Rhaphiolepis indica (L.) Lindl. ex Ker var. *umbellata* (Thunb. ex Murray)
Ohashi. 厚葉石斑木 {T,N}

482.Taipei [II]台北 150 m 2011 (C)

Sorbus randaiensis (Hay.) Koidz. 巒大花楸 {T,E}

483.Juanfeng [III]鳶峰 2,860 m 2004 (W)

484.Herhuanshan [III]合歡山 3,165 m 2004 (W)

RUBIACEAE 茜草科

Morinda citrifolia L. 檄樹 {T,N}

485.Herngchuen [V]恆春 50 m 2006 (C)

486.Herngchuen [V]恆春 20 m 2007 (W)

487.Taimali [VI]太麻里 20 m 2008 (C)

488.Taimali [VI]太麻里 20 m 2009 (C)

489.Herngchuen [V]恆春 50 m 2010 (W)

Psychotria rubra (Lour.) Poir. 九節木 {S,N}

490.Taipei [II]台北 50 m 2011 (C)

Tricalysia dubia (Lindl.) Ohwi. 狗骨仔 {T,N}

491.Ulai [II]烏來 450 m 1999 (W)

492.Taipei [II]台北 50 m 2001 (C)

493.Taimali [VI]太麻里 600 m 2002 (C)

494.Taimali [VI]太麻里 650 m 2005 (C)

495.Taipei [II]台北 50 m 2005 (C)

496.Taimali [VI]太麻里 650 m 2006 (C)

497.Taipei [II]台北 50 m 2006 (C)

498.Taipei [II]台北 50 m 2009 (C)

499.Taipei [II]台北 50 m 2010 (C)

RUTACEAE 芸香科

Acronychia pedunculata (L.) Miq. 降真香 {T,N}

500.Fushan	[I]福山	500 m	2007 (C)
501.Fushan	[I]福山	500 m	2008 (C)
502.Fushan	[I]福山	500 m	2010 (C)

Melicope semecarpifolia (Merr.) T. Hartley 山刈葉 {T,N}

503. Ian	[I]宜蘭	150 m	2011 (C)
504.Taipei	[II]台北	50 m	2011 (C)

Murrya paniculata (L.) Jack. var. *paniculata* 月橘 {T,N}

505.Herngchuen	[V]恆春	50 m	2010 (C)
----------------	---------	------	----------

Phellodendron amurense Rupr. var. *wilsonii* (Hay. & Kanehira) Chang 台灣黃蘗 {T,E}

506.Syhjih	[I]四季	2,000 m	1990 (W)
507.Chilanshan	[VI]棲蘭山	1,750 m	1996 (W)
508.Ilan	[I]宜蘭	2,000 m	2002 (W)
509.Ilan	[I]宜蘭	1,900 m	2003 (W)
510.Tipingshan	[I]太平山	1,650 m	2004 (W)
511.Chilanshan	[VI]棲蘭山	1,800 m	2004 (W)

Tetradium glabrifolium (Champ. ex Benth.) T. Hartley 賊仔樹 {T,N}

512.Derji	[III]德基	1,455 m	1997 (W)
513.Wuhsheh	[III]霧社	1,005 m	1997 (W)
514.Dahanshan	[V]大漢山	1,240 m	1997 (W)
515.Motian	[VI]摩天	1,415 m	1998 (W)
516.Sanshya	[II]三峽	550 m	1998 (W)
517.Duonah	[IV]多納	1,200 m	1999 (W)
518.Hwanshan	[III]環山	1,345 m	1999 (W)
519.Motian	[VI]摩天	1,650 m	2002 (W)
520.Jiayang	[III]佳陽	1,960 m	2004 (W)

521.Lishan [III]梨山 1,560 m 2007 (W)

Tetradium ruticarpum (A. Juss.) T. Hartley 吳茱萸 {T,N}

522.Chilanshan [VI]棲蘭山 1,691 m 2007 (W)

Zanthoxylum ailanthoides Sieb. & Zucc. 食茱萸 {T,N}

523.Duonah [IV]多納 1,085 m 1999 (W)

524.Singwu [VI]新武 430 m 2002 (W)

525.Shanping [IV]扇平 650 m 2004 (W)

526.Taimali [VI]太麻里 450 m 2006 (W)

SABIACEAE 清風藤科

Meliosma squamulata Hance 綠樟 {T,N}

527.Beidongyanshan [III]北東眼山 1,800 m 2007 (W)

SANTALACEAE 檀香科

Santalum album L. 檀香 {T,X}

528.Jiayi [IV]嘉義 250 m 2012 (C)

SAPINDACEAE 無患子科

Allophylus timorensis (DC.) Blume 止宮樹 {S,N}

529.Herngchuen [V]恆春 40 m 2007 (W)

530.Herngchuen [V]恆春 10 m 2009 (W)

531.Herngchuen [V]恆春 30 m 2010 (W)

532.Herngchuen [V]恆春 15 m 2011 (W)

533.Herngchuen [V]恆春 27 m 2011 (W)

Dodonaea viscosa (L.) Jacq. 車桑子 {T,N}

534.Baling [II]巴陵 870 m 1998 (W)

535.Baling [II]巴陵 870 m 2009 (W)

Koelreuteria henryi Dummer 台灣欒樹 {T,E}

536.Taipei	[II]台北	50 m	1997 (C)
537.Taipei	[II]台北	50 m	2001 (C)
538.Zhongbu	[III]中埔	50 m	2006 (C)

Sapindus mukorossi Gaertn. 無患子 {T,N}

539.Liukuei	[IV]六龜	150 m	1997 (W)
540.Taimali	[VI]太麻里	300 m	2005 (W)
541.Zunda	[III]圳大	756 m	2007 (W)
542.Sanguang	[II]三光	624 m	2009 (W)

SCROPHULARIACEAE 玄蔘科

Paulownia kawakamii Ito 白桐 {T,N}

543.Tsyren	[VI]慈恩	1,980 m	1997 (W)
544.Jiayang	[III]佳陽	1,765 m	2002 (W)

Paulownia × taiwaniana T. W. Hu & H. J. Chang 台灣泡桐 {T,E}

545.Lihdow	[VI]利稻	1,295 m	1998 (C)
546.Shiahma	[VI]下馬	685 m	1998 (C)
547.Sule	[II]蘇樂	563 m	2011 (C)

SIMAROUBACEAE 苦木科

Ailanthus altissima (Miller) Swingle var. *tanakai* (Hay.) Sasaki 臭椿 {T,E}

548.Nanshan	[VI]南山	1,475 m	2004 (W)
549.Biyang	[VI]白楊	1,545 m	2004 (W)
550.Syuan	[VI]思源	1,800 m	2004 (W)

STAPHYLEACEAE 省沽油科

Euscaphis japonica (Thunb.) Kanitz. 野鴉椿 {T,N}

551.Yangmingshan	[II]陽明山	580 m	1999 (W)
552.Yangmingshan	[II]陽明山	595 m	2004 (W)

553. Yangmingshan [II] 陽明山 490 m 2006 (W)

Turpinia formosana Nakai 山香圓 {T,E}

554. Ilan [I] 宜蘭 405 m 2003 (W)

STERCULIACEAE 梧桐科

Firmiana simplex (L.) W. F. Wight 梧桐 {T,N}

555. Taipei [II] 台北 30 m 2006 (C)

556. Herngchuen [V] 恆春 30 m 2010 (W)

Reevesia formosana Sprague 台灣梭羅樹 {T,E}

557. Taipei [II] 台北 50 m 2002 (C)

558. Taipei [II] 台北 50 m 2004 (C)

STYRACACEAE 安息香科

Alniphyllum pterospermum Matsum. 假赤楊 {T,N}

559. Dahanshan [V] 大漢山 1,250 m 1997 (W)

560. Duonah [IV] 多納 1,290 m 1999 (W)

561. Syhleng [II] 四稜 1,125 m 1999 (W)

Styrax formosana Matsum. var. *formosana* 烏皮九芎 {T,E}

562. Daping [II] 大坪 1,300 m 1999 (W)

563. Yangmingshan [II] 陽明山 350 m 2002 (W)

564. Liidongshan [II] 李棟山 1,458 m 2009 (W)

565. Nanshan [VI] 南山 1,418 m 2012 (W)

Styrax suberifolia Hook. & Arn. 紅皮 {T,N}

566. Lishan [III] 梨山 1,652 m 2010 (W)

SYMPLOCACEAE 灰木科

Symplocos stellaris Brand 枇杷葉灰木 {T,N}

567. Jiayang [III] 佳陽 1,925 m 2004 (W)

THEACEAE 山茶科

Adinandra formosana Hay. var. *formosana* 台灣楊桐 {T,E}
568. Jiayang [III] 佳陽 1,070 m 2004 (W)

Cleyera japonica Thunb. var. *morii* (Yamamoto) Masamune
森氏紅淡比 {T,E}

569. Yangmingshan [II] 陽明山 450 m 2004 (W)

570. Yangmingshan [II] 陽明山 360 m 2006 (W)

Eurya chinensis Brown 米碎柃木 {T,N}

571. Datwenshan [II] 大屯山 690 m 2001 (W)

572. Yangmingshan [II] 陽明山 800 m 2003 (W)

573. Yangmingshan [II] 陽明山 468 m 2008 (W)

Eurya glaberrima Hay. 厚葉柃木 {T,E}

574. Yangmingshan [II] 陽明山 360 m 2003 (W)

Gordonia axillaris (Roxb.) Dietr. 大頭茶 {T,N}

575. Sanshya [II] 三峽 360 m 1997 (W)

576. Datwenshan [II] 大屯山 795 m 1998 (C)

577. Datwenshan [II] 大屯山 795 m 2003 (C)

578. Yangmingshan [II] 陽明山 370 m 2003 (W)

579. Datwenshan [II] 大屯山 795 m 2004 (C)

Schima superba Gardn. & Champ. var. *kankaensis* (Hay.) Keng 港口木荷 {T,E}

580. Nanhuei [V] 南迴 390 m 1995 (W)

581. Senyeong [V] 森永 560 m 2002 (W)

582. Fushan [I] 福山 550 m 2006 (C)

Schima superba Gardn. & Champ. var. *superba* 木荷 {T,N}

583. Yangminshan [II] 陽明山 470 m 1997 (W)

584.	Shiowluan	[II] 秀巒	1,365 m	2002	(W)
585.	Jiayang	[III] 佳陽	2,090 m	2002	(W)
586.	Mayfeng	[III] 梅峰	2,085 m	2002	(W)
587.	Rueyan	[II] 瑞岩	2,000 m	2002	(W)
588.	Yangminshan	[II] 陽明山	420 m	2004	(W)
589.	Taimali	[VI] 太麻里	450 m	2004	(C)
590.	Jianshyr	[II] 尖石	1,160 m	2004	(W)

Ternstroemia gymnanthera (Wright & Arn.) Sprague 厚皮香 {T,N}

591.	Taipei	[II] 台北	50 m	1998	(C)
592.	Taipei	[II] 台北	50 m	2005	(C)
593.	Taipei	[II] 台北	50 m	2009	(C)
594.	Nanshan	[VI] 南山	1,505 m	2012	(W)

TROCHODENDRACEAE 昆蘭樹科

Trochodendron aralioides Sieb. & Zucc. 昆蘭樹 {T,N}

595.	Yeakouu	[VI] 啞口	2,355 m	1998	(W)
596.	Datwenshan	[II] 大屯山	980 m	1999	(W)
597.	Datwenshan	[II] 大屯山	1045 m	2007	(W)

ULMACEAE 榆科

Aphananthe aspera (Thunb. ex Murray) Planch. 糙葉樹 {T,N}

598.	Mayshan	[IV] 梅山	1,175 m	1999	(W)
------	---------	-----------	---------	------	-----

Celtis formosana Hay. 石朴 {T,E}

599.	Baling	[II] 巴陵	590 m	2001	(W)
600.	Songmow	[IV] 松茂	1,710 m	2004	(W)
601.	Jianshyr	[II] 尖石	1,272 m	2012	(W)
602.	Sanguang	[II] 三光	746 m	2012	(W)

Celtis sinensis Person 朴樹；沙朴 {T,N}

603.Taipei	[II]台北	50 m	1999 (W)
604.Taipei	[II]台北	50 m	2002 (W)
605.Taipei	[II]台北	50 m	2009 (W)

Trema orientalis (L.) Blume 山黃麻 {T,N}

606.Sanshya	[II]三峽	650 m	1999 (W)
607.Nanjuang	[II]南庄	450 m	2000 (W)
608.Taipei	[II]台北	50 m	2001 (W)
609.Sanyì	[II]三義	450 m	2002 (W)

Ulmus parvifolia Jacq. 榔榆 {T,N}

610.Taipei	[II]台北	50 m	1997 (W)
611.Dahanshan	[V]大漢山	255 m	1997 (W)
612.Fuhshing	[IV]復興	715 m	1998 (W)

Ulmus uyematsui Hay. 阿里山榆 {T,E}

613.Mayfeng	[III]梅峰	2,155 m	2006 (W)
614.Syuan	[VI]思源	1,930 m	2007 (W)

Zelkova serrata (Thunb.) Makino 欖樹 {T,N}

615.Ronghwa	[II]榮華	545 m	1998 (W)
616.Gaujong	[IV]高中	730 m	1999 (W)
617.Mayshan	[IV]梅山	1,145 m	1999 (W)
618.Damann	[II]大曼	980 m	1999 (W)
619.Wuhsheh	[III]霧社	715 m	2001 (W)
620.Nanjuang	[II]南庄	1,100 m	2001 (W)
621.Duonah	[IV]多納	1,100 m	2002 (W)
622.Baling	[II]巴陵	540 m	2002 (W)
623.Herpyng	[II]和平	490 m	2003 (W)
624.Tayan	[II]泰安	650 m	2003 (W)
625.Jwolan	[II]卓蘭	400 m	2003 (W)

626.Renay	[Ⅲ]仁愛	915 m	2003 (W)
627.Wuhsheh	[Ⅲ]霧社	708 m	2007 (W)
628.Renay	[Ⅲ]仁愛	713 m	2012 (W)

VERBENACEAE 馬鞭草科

Callicarpa japonica Thunb. var. *luxurians* Rehd. 朝鮮紫珠 {S,N}
 629.Taipei [Ⅱ]台北 50 m 2011 (C)

Premna microphylla Turcz. 臭黃荊 {T,N}
 630.Datwenshan [Ⅱ]大屯山 750 m 2003 (W)

Premna serratifolia Linn. 臭娘子 {T,N}
 631.Herngchuen [V]恆春 65 m 2006 (W)
 632.Herngchuen [V]恆春 85 m 2010 (W)
 633.Herngchuen [V]恆春 10 m 2011 (W)
 634.Herngchuen [V]恆春 5 m 2011 (W)

Vitex quinata (Lour.) F. N. Williams 山埔姜 {T,N}
 635.Renlun [Ⅲ]人倫 948 m 2007 (W)

Vitex rotundifolia L. 海埔姜 {S,N}
 636.Herngchuen [V]恆春 50 m 2008 (W)

林木種子目錄 2012—2013

出版 行政院農業委員會林業試驗所
台北市中正區10066南海路53號
電話/ 02-2381-7107
傳真/ 02-2389-5531

發行人 黃裕星
編輯、攝影 楊正釗
採種及種子庫管理 楊正釗 (E-mail: yjc@tfri.gov.tw)
種實採集 楊正釗、趙惠德
種子處理 楊正釗、江則誼、李淑梅、張鈞惠
經費補助單位 行政院農業委員會
出版日期 中華民國一〇二年四月 初版
GPN 1010200791
ISBN 9789860367065

INDEX SEMINUM 2012—2013

Published by Taiwan Forestry Research Institute
53 Nanhai Road, Taipei 10066, Taiwan
Tel/ (886-2)2381-7107
Fax/ (886-2)2314-2234

Publisher Y. Star Huang
Editor & Photographer Jeng-Chuann Yang
Collections & Seedbank Manager Jeng-Chuann Yang (E-mail: yjc@tfri.gov.tw)
Collectors Jeng-Chuann Yang, & Hui-Te Chao
Seed Treatment Jeng-Chuann Yang, Tze-Yi Chiang, Shu-Mei Li,
& Chun-Hui Chang

Sponsor Council of Agriculture, Executive Yuan, Taiwan
Published in April 2013
GPN 1010200791
ISBN 9789860367065