表三 4 齡期黃斑粗喙椿象以不同飢餓時間對 3 齡斜紋夜盜蟲捕食量之比較

Table 3. Comparison of starvation period at *Eocanthecona furcellata* 4th instar on predation of 3rd *Spodoptera litura* instar.

Starvation (hr)	*Spodoptera litura deaths after 96 hours*				
	Ⅰ	Ⅱ	Ⅲ	Ⅳ	M
4	6	6	7	7	6.5cd
8	9	8	8	9	8.5a
12	8	9	9	8	8.5a
16	8	8	7	7	7.5b
20	8	6	7	7	7.0bc
24	7	6	5	6	6.0d

Means follow the same letters in the same column are not significantly different
by LSD ($p < 0.05$) test.

表四 不同齡期黃斑粗喙椿象對 3 齡斜紋夜盜蟲捕食量之比較

Table 4. Comparison of different *Eocanthecona furcellata* instars on predation of *Spodoptera litura* 3rd instar.

Instar	*Spodoptera litura deaths after 8 hours*				
	Ⅰ	Ⅱ	Ⅲ	Ⅳ	M
3rd	4	2	3	5	3.50b
4th	3	3	2	3	2.75b
5th	4	10	5	7	6.50a

Means follow the same letters in the same column are not significantly different
by LSD ($p < 0.05$) test.

表五 5 齡期黃斑粗喙椿象對不同齡期斜紋夜盜蟲捕食量之情形

Table 5. Comparison of *Eocanthecona furcellata* 5th instar on predation of different *Spodoptera litura* instars.

Instar	*Spodoptera litura* deaths after 8 hours				
	Ⅰ	Ⅱ	Ⅲ	Ⅳ	M
2nd	4	10	5	4	5.75a
3rd	5	8	7	7	6.75a
4th	4	2	2	2	2.50b
5th	2	1	1	1	1.25b

Means follow the same letters in the same column are not significantly different
by LSD (p＜0.05) test.

表六 黃斑粗喙椿象成蟲對不同齡期斜紋夜盜蟲捕食量之情形

Table 6. Comparison of *Eocanthecona furcellata* adult on predation of different *Spodoptera litura* instars.

Instar	*Spodoptera litura deaths after 8 hours*				
	Ⅰ	Ⅱ	Ⅲ	Ⅳ	M
2nd	10	9	10	8	9.25a
3rd	8	4	8	4	6.00b
4th	6	6	3	4	4.75b
5th	2	1	1	1	1.25c

Means follow the same letters in the same column are not significantly different
by LSD (p＜0.05) test.