表一、溫室利用植物萃取液防治胡瓜白粉病的效果

Table 1. Effect of plant extracts on control of Cucumber powdery mildew in the greenhouse test

處理		罹病度
艾草萃取物稀釋	100 倍	9.4 ab
小葉桑萃取物稀釋	100 倍	9.3 ab
蒲公英萃取物稀釋	100 倍	14.2 bc
大飛揚萃取物稀釋	100 倍	11.7 bc
柳葉萃取物稀釋	100 倍	13.5 bc
99% SK EnSpray99 乳劑稀釋	500 倍(對照一)	4.7 a
25%酒精稀釋	100 倍 (對照二)	16.1 c

Mean values within column followed the same letter are not significantly different by LSD at 1 % probability level.

表二、溫室利用植物萃取液防治胡瓜白粉病的效果

Table 2. Effect of plant extracts on control of Cucumber powdery mildew in the greenhouse test

處理		罹病度
土肉桂萃取液稀釋	100 倍	4.2 a
紅檜萃取液稀釋	100 倍	4.7 b
樟樹葉萃取液稀釋	100 倍	5.4 c
薄荷萃取液稀釋	100 倍	7.2 bc
扁柏葉萃取液稀釋	100 倍	5 bc
葵無露萃取液稀釋	500 倍	3.9 a
對照:無處理		6 c

Mean values within column followed the same letter are not significantly different by LSD at 5 % probability level.